



THE IUCN RED LIST  
OF THREATENED SPECIES™



## ***Acrocephalus paludicola (Aquatic Warbler)***

### **European Red List of Birds**

### **Supplementary Material**

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14.

For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

#### **Contents**

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 3
Sources of reported national population data	p. 5
Species factsheet bibliography	p. 7

#### **Recommended citation**

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

#### **Further information**

- <http://www.birdlife.org/datazone/info/euroredlist>
- <http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
- <http://www.iucnredlist.org/initiatives/europe>
- <http://ec.europa.eu/environment/nature/conservation/species/redlist/>

#### **Data requests and feedback**

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email [science@birdlife.org](mailto:science@birdlife.org).

*Acrocephalus paludicola* (Aquatic Warbler)

**Table 1.** Reported national breeding population size and trends in Europe<sup>1</sup>.

Country (or territory) <sup>2</sup>	Population estimate				Short-term population trend <sup>4</sup>				Long-term population trend <sup>4</sup>				Subspecific population (where relevant)
	Size (calling/lekking males) <sup>3</sup>	Europe (%)	Year(s)	Quality	Direction <sup>5</sup>	Magnitude (%) <sup>6</sup>	Year(s)	Quality	Direction <sup>5</sup>	Magnitude (%) <sup>6</sup>	Year(s)	Quality	
Belarus	3,086-7,029	42	2006-2011	good	-	47-55	2000-2011	good	F	25-53	1980-2011	good	
Germany	0-10	<1	2005-2009	good	-	46-88	1998-2009	good	-	51-100	1985-2009	medium	
Hungary	0	<1	2011-2012	good	-	100	2000-2012	good	-	100	1980-2012	good	
Latvia	0-1	<1	2012	medium	?				-	90-100	1994-2012	poor	
Lithuania	60-90	1	2011-2012	good	-	60-80	2001-2012	medium	-	60-80	1980-2012	medium	
Poland	3,250	30	2012	good	-	4-8	2003-2012	good	?				
Russia	4-5	<1	2004-2008	good	F	0	2000-2012	good	-	70-90	1980-2012	good	
Ukraine	2,600-3,400	27	2000	medium	F	10-20	1998-2010	medium	F	15-20	1980-2010	medium	
EU27	3,300-3,400	30			Decreasing								
Europe	9,000-13,800	100			Decreasing								

<sup>1</sup> See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

<sup>2</sup> The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

<sup>3</sup> In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

<sup>4</sup> The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

<sup>5</sup> Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

<sup>6</sup> Trend magnitudes are rounded to the nearest integer.

## Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

### KEY

- |                                  |                                  |
|----------------------------------|----------------------------------|
| ▲ Large increase ( $\geq 50\%$ ) | ▼ Large decrease ( $\geq 50\%$ ) |
| ▲ Moderate increase (20–49%)     | ▼ Moderate decrease (20–49%)     |
| ▲ Small increase (<20%)          | ▼ Small decrease (<20%)          |
| ↑ Increase of unknown magnitude  | ↓ Decrease of unknown magnitude  |


- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- ✗ Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.


- ↑ Large:  $\geq 10\%$  of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

**Figure 1.** Breeding population sizes and short-term trends across Europe.



**Figure 2.** Breeding population sizes and long-term trends across Europe.



## *Acrocephalus paludicola* (Aquatic Warbler)

# Sources

## Belarus

**Breeding population size:** Kozulin A.V., Vergeichik L.A. Action plan for Aquatic Warbler *Acrocephalus paludicola* conservation. - 2012. - Minsk. - 36 p.

**Breeding short-term trend:** Kozulin A.V., Vergeichik L.A. Action plan for Aquatic Warbler *Acrocephalus paludicola* conservation. - 2012. - Minsk. - 36 p.

**Breeding long-term trend:** Kozulin A.V., Vergeichik L.A. Action plan for Aquatic Warbler *Acrocephalus paludicola* conservation. - 2012. - Minsk. - 36 p. Kozulin A.V., Flade M., Tishechkin A.K., Pareyko O.A. Recent distribution and number of Aquatic Warbler (*Acrocephalus paludicola*) // Subbuteo. – 1998.- V.1. - P.3-16

## Germany

**Breeding population size:** Gedeon, K., C. Grüneberg, A. Mitschke & C. Sudfeldt (in Vorb.): Atlas Deutscher Brutvogelarten. SVD & DDA, Münster.

**Breeding short-term trend:** Monitoring seltener Brutvögel

**Breeding long-term trend:** Dachverband Deutscher Avifaunisten e.V.

## Hungary

**Breeding population size:** Végvári, Zs. & Flade, M. (2012): Aufstieg und Fall: Seggenrohrsänger in Ungarn. Der Falke 59: 100-103.

**Breeding short-term trend:** Végvári, Zs. & Flade, M. (2012): Aufstieg und Fall: Seggenrohrsänger in Ungarn. Der Falke 59: 100-103.

**Breeding long-term trend:** Végvári, Zs. & Flade, M. (2012): Aufstieg und Fall: Seggenrohrsänger in Ungarn. Der Falke 59: 100-103. Kovács, G. & Végvári, Zs. (1999): The Aquatic Warbler *Acrocephalus paludicola* in Hungary. Vogelwelt 120: 121-125.

## Latvia

**Breeding population size:** [www.latvijasputni.lv](http://www.latvijasputni.lv)

**Breeding long-term trend:** [www.latvijasputni.lv](http://www.latvijasputni.lv) Strazds M., Priednieks J., Vaverins G. 1994. Latvijas putnu skaits. – Putni daba, 4: 3–18.

## Lithuania

**Breeding population size:** Preikša, Ž. (comp.) 2012. Ex-ante monitoring of Aquatic Warbler *Acrocephalus paludicola* in Lithuanian and Latvian project sites. Report for the 2011-2012. Vilnius: BEF-Lithuania. [[http://www.meldine.lt/images/stories/Reports/ex\\_ante\\_report.pdf](http://www.meldine.lt/images/stories/Reports/ex_ante_report.pdf)] Žydrūnas Preikša griciukas@gmail.com

**Breeding short-term trend:** Pranaitis, A. 2010. Meldinė nendrinukė. Jos vis dar gieda. Vilnius: Baltijos aplinkos forumas, Gamtos pasaulis. ISBN 978-9986-963-32-5. Preikša, Ž. (comp.) 2012. Ex-ante monitoring of Aquatic Warbler *Acrocephalus paludicola* in Lithuanian and Latvian project sites. Report for the 2011-2012. Vilnius: BEF-Lithuania. [[http://www.meldine.lt/images/stories/Reports/ex\\_ante\\_report.pdf](http://www.meldine.lt/images/stories/Reports/ex_ante_report.pdf)]

**Breeding long-term trend:** BirdLife International/European Bird Census Council 2000. European bird populations: estimates and trends. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 10). Pranaitis, A. 2010. Meldinė nendrinukė. Jos vis dar gieda. Vilnius: Baltijos aplinkos forumas, Gamtos pasaulis. ISBN 978-9986-963-32-5. Preikša, Ž. (comp.) 2012. Ex-ante monitoring of Aquatic Warbler *Acrocephalus paludicola* in Lithuanian and Latvian project sites. Report for the 2011-2012. Vilnius: BEF-Lithuania. [[http://www.meldine.lt/images/stories/Reports/ex\\_ante\\_report.pdf](http://www.meldine.lt/images/stories/Reports/ex_ante_report.pdf)]

## Poland

**Breeding population size:** Grzywaczewski G., Krogulec J., Marczakiewicz P., Piasecka M., Wołczuk B., Zadraż M. 2012. Inwentaryzacja wodniczki w Polsce w 2012 r. OTOP.

**Breeding short-term trend:** Maniakowski M. 2003. Występowanie, liczebność i wybiorczość siedliskowa wodniczki *Acrocephalus paludicola* w Polsce w r. 2003. Maszynopsis. OTOP, Gdańsk

## Russia

**Breeding population size:** Grishanov G.V.2010. AquaticWarbler. - Dedkov V.P., Grishanov G.I. (eds.) Red Data Book of Kaliningrad Region. Kaliningrad: 74 (in Russian). Grishanov G.V., unpublished data

**Breeding short-term trend:** Grishanov G.V.2010. AquaticWarbler. - Dedkov V.P., Grishanov G.I. (eds.) Red Data Book of Kaliningrad Region. Kaliningrad: 74 (in Russian). Grishanov G.V., unpublished data

**Breeding long-term trend:** Grishanov G.V.2010. AquaticWarbler. - Dedkov V.P., Grishanov G.I. (eds.) Red Data Book of Kaliningrad Region. Kaliningrad: 74 (in Russian). Grishanov G.V., unpublished data

## Ukraine

**Breeding population size:** 1. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 2. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 3. Gorban I., Flade M. The importance of the Upper Pripyat (Ukraine) for the protection of birds. The ecology and conservation of floodplanins and lowland mires in the Polesya Region. Minsk. 2000. p. 103-110. 4. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemeijer/ BirdLife International/ EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 5. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158. 6. Червона книга України: Тваринний світ /Під ред. І.А.Акімова. – Київ: Глобалконсалтинг, 2009. – 624 с.

**Breeding short-term trend:** 1. Gorban I., Flade M. The importance of the Upper Pripyat (Ukraine) for the protection of birds. The ecology and conservation of floodplanins and lowland mires in the Polesya Region. Minsk. 2000. p. 103-110. 2. Попуда А.М., Фладе М., Давиденко И.В., Гавриш Г.Г., Горбань И.М. Современное распространение и численность вертлявой камышевки (*Acrocephalus paludicola*) в Украине. Вестник зоологии. Т.35. №5. 2001. С.51-59. 3. Dombrowski A., Piotrowska M., Gorban I., Nikiforov M. Status and threats to avifauna. (Eds. Dombrowski A., & Z. Glowacki, та інші). Bug river valleyas the ecological corridor: state-threats-protection. IUCN European Programme. Warsaw. 2002. S. 87-102. 4. Горбань І.М. Рідкісні види птахів Шацького національного парку. // Вісник Львівського університету. Серія біологічна. Вип. 29. 2002. С.188-199.

*Acrocephalus paludicola* (Aquatic Warbler)

**Ukraine**

**Breeding long-term trend:** 1. Tucker G.M., Heath M.F. Birds in Europe: their conservation status. - Cambridge. U.K. Bird Life Conservation Series №. 3. 1994. 600 p. 2. Hagemaijer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 3. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 4. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemeyer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 5. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158. 6. Birds in Europe: Population Estimates, Trends and Conservation Status. BirdLife Conservation Series 12; 2004. 374 p.

## Bibliography

- Aquatic Warbler Conservation Team. 1999. World population, trends and conservation status of the Aquatic Warbler *Acrocephalus paludicola*. *Vogelwelt* 120: 65-85.
- Bargain, B., Le Nevé, A. and Guyot, G. 2008. Première zone d'hivernage du Phragmite aquatique *Acrocephalus paludicola* découverte en Afrique. *Ornithos* 15(6): 411-425.
- Dyrcz, A., Christie, D.A. and de Juana, E. 2013. Aquatic Warbler (*Acrocephalus paludicola*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2013. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/58793> on 19 January 2015).
- Flade, M. 2008. Searching for wintering sites of the Aquatic Warbler *Acrocephalus paludicola* in Senegal-18th January to 10th February 2007. *Final Report, Aquatic Warbler Conservation Team*.
- Flade, M., and Lachmann, L. 2008. International species action plan for the Aquatic Warbler *Acrocephalus paludicola*. BirdLife International, Cambridge, UK.
- Flade, M., Diop, I., Haase, M., Le Nevé, A., Oppel, S., Tegetmeyer, C., Vogel, A. and Salewski, V. 2011. Distribution, ecology and threat status of the Aquatic Warblers *Acrocephalus paludicola* wintering in West Africa. *Journal of Ornithology* 152(S1): 129-140.
- Hagemeijer, W.J.M. and Blair, M.J. 1997. *The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance*. T & A D Poyser, London.
- Tanneberger, F., Tegetmeyer, C., Dylawerski, M., Flade, M. and Joosten, H. 2009. Commercially cut reed as a new and sustainable habitat for the globally threatened Aquatic Warbler. *Biodiversity and Conservation* 18: 1475-1489.